

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application

Atty Dkt. 737-261

C# M#

SESSER et al.

TC/A.U.

3752


Serial No. 10/813,443

Examiner: Nguyen

Filed: March 31, 2004

Date: December 1, 2005

Title: ADJUSTABLE ARC, ADJUSTABLE FLOW RATE SPRINKLER



Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment 39 minus highest number
previously paid for 40 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 6 minus highest number
previously paid for 6 (at least 3) = 1 x \$200.00 \$200.00 (1201)/\$100.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add
\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s)
One Month Extension \$120.00 (1251)/\$60.00 (2251)
Two Month Extensions \$450.00 (1252)/\$225.00 (2252)
Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)
Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

TOTAL FEE ENCLOSED \$ 0.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor
Arlington, Virginia 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
MJK:rrl

NIXON & VANDERHYE P.C.

By Atty: Michael J. Keenan, Reg. No. 32,106

Signature: 



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

SESSER et al.

Atty. Ref.: 737-261; Confirmation No.

Appl. No. 10/813,443

TC/A.U. 3752

Filed: March 31, 2004

Examiner: Nguyen

For: ADJUSTABLE ARC, ADJUSTABLE FLOW RATE SPRINKLER

* * * * *

December 1, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

Please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2.

Remarks/Arguments begin on page 13.